



USER MANUAL

- ENSURE YOU READ THIS ENTIRE MANUAL PRIOR TO USE -

Table of contents:

1. General + Safety Precautions
2. Front Panel
3. Back Panel
4. Reflex Quick Release
5. Removable Utility Pouches
6. Utility Belt
7. Warranty

1. General

Fitting

When initially fitting the AMR ensure the straps are loose and tighten to a firm fit. After fitting ensure all straps are rolled and secured with velcro tabs provided.

It is always a consideration to counter balance the AMR by adding appropriate equipment to the chest panel compartments when using heavy rifles.

Before use in the field make sure your rifle or bow, weight, size and design works with the AMR. For optimal performance it is recommended that when attaching a rifle to the REFLEX Quick Release the weight of the rifle does not exceed 6kg/13lb.

Reflex Quick Release (RQR)


The following Cautions/Recommendations are to assist users in the safe operation of the REFLEX Quick Release (RQR) however, the safe use and handling of firearms, archery equipment and accessories remains the responsibility of the individual.

Paladin Custom, its officers, shareholders, employees and distributors bear no responsibility and cannot be held liable for any loss, damage, injury or death resulting from the use of the

RQR. You are responsible for your safety and those around you. Always maintain muzzle awareness and treat your weapon as though it is loaded at all times.

You must decide the state of weapon readiness based on all relevant considerations including but not limited to: legality, terrain, location, likelihood of the magazine to be dislodged, the presence of others including minors etc. Your weapon should only ever be attached to a RQR unit AT OR BELOW the LOADED or CONDITION 3 state of weapon readiness. This is defined by a loaded magazine being attached to the rifle with NO round/ammunition in the chamber and the weapon uncocked. As all weapons systems vary you must determine how this applies to your individual weapon system.

Note: Under no circumstance should any part of the RQR including the retention straps be passed through the trigger guard or in the vicinity of the trigger.



2. Chest Panel

- > The AMR Chest Panel features multiple lanyard attachments and pouches as described below.
- > The AMR features D Rings at the bottom, which can be used as attachment points.
- > On the rear of the Chest Panel, behind the GPS/radio pouch is a Velcro tab for securing your bladder hose.
- > On the rear of the Chest Panel there is a Velcro panel for use with additional items such as the hand warmer (sold separately).
- > 2 x 38mm webbing straps are kept separately. These webbings straps are used to attach to the chest panel in an X (crossover) fashion. The purpose of these straps is so the AMR Chest Panel can be worn as a stand alone component and a pack can be worn simultaneously.

1. Utility Pouch, Small

This pouch can be used for items such as, Mobile Phone or Range Finder.

2. Binocular Pouch

Is opened and closed at the top and secured closed with magnets.

The pouch features ventilation at the bottom.

Features a small S-binder

Tip: The pouch lid can be folded behind the chest panel for more frequent use of binoculars.

and lanyard to use for tethering your binoculars.

Binocular pouch maximum internal capacity: 200mm high / 130mm wide / 75mm deep.

Most standard Roof prism hunting type Binoculars will fit the standard AMR Enclosed Bino pouch.

However, please check that your model of binoculars fits within the dimensions.

3. GPS/Radio Pouch

Is open at the top to allow quick and easy access to your GPS/Radio.

Features a small S-binder and lanyard to use for tethering your GPS/radio.


4. Utility Pouch, Large

This pouch features additional organisational sleeves, for small items.

Two lanyard loops are provided at the top internal of the pouch to tether items.

This pouch can be used for storing items such as cameras, maps, callers, food, knives, etc.

Tip: This pouch can be locked closed with the use of an additional carabiner across the dual zips. Keeping a DSLR within this pouch allows it to be at hand with more frequent use.



3. Back Panel

- > Features adjustable padded shoulder straps.
- > Features adjustable waist belt with velcro for attachment of Removable Utility Pouches.
- > Features D Rings at the bottom, which can be used as attachment points.

1. Water Bladder

This pouch is designed to hold water bladders up to 2 litres in capacity and also features a hose port.

Tip: If you are using a 3 litre bladder, you can lower the water level until it fits in the bladder pouch. Your water bladder hose may be routed over or under your arm.

REFLEX
QUICK RELEASE

4. REFLEX Quick Release (RQR)


- > The RQR has been designed for use with rifles and bows.
- > When attaching a bow or rifle to the RQR, consider the terrain you will be moving through as setting a lower or higher attachment point may be a benefit.
- > Refer to 'General' for guidance on weapon carriage and safety precautions.
- > When attaching a bow or rifle to the RQR, make sure you use a level surface and the attachment is firm and secure.
- > When using the RQR ensure you have a secure hold on the bow or rifle prior to release. Once the RQR is secured, ensure your retention pins have a clear path of movement to release.
- > When resetting the RQR you will need to remove the APEX Modular Rig.

Tips:

- > Practicing with the RQR system prior to use in the field will improve the timings on load, use and reset of the system. It is recommended that you practice to a point so that your muscle memory is instinctual before using in the field.
- > An objective lens scope cap can be


fitted to reduce debris and moisture obscuring the scope when it comes time to take your shot.

- > It is recommended that the muzzle of your rifle is covered with tape to ensure no debris enter the barrel and cause an obstruction.



REFLEX QUICK RELEASE


> Steps for attaching a rifle or bow:



5. Removable Utility Pouches

- > The Removable Utility Pouches, are attached via a Velcro system.
- > The pouch can be added when using the AMR to provide additional storage.
- > The pouches should be removed when using the AMR Utility belt.

REMOVABLE
UTILITY POUCH




Tips:

- > Feed the top webbing strap under the rifle scope if you have enough clearance, otherwise run the strap over the top of the scope.
- > Ensure the retention pins have a clear path to allow for a smooth release.
- > Practice with your rifle or bow until you have the system working smoothly and muscle memory is developed to allow an instinctual and fast release.


6. Utility Belt

- > The Utility Belt is a component designed for additional storage capacity.
- > The Utility Belt features two large pouches and two small pouches and one extra-large removable pouch.
- > The Utility Belt is designed to integrate with the AMR, by removing the rear pouch the Back Panel will integrate within the space left.
- > The Utility Belt can be used as a stand-alone item. To attach the extra-large removable pouch, thread the rigid webbing tabs into the sleeves at the rear of the Utility Belt and press the pouch firmly to the belt to allow the Velcro to grip.
- > Features D loops at the bottom, which can be used as attachment points.



UTILITY POUCH
IS REMOVED
TO ALLOW AMR
BACK PANEL TO
INTEGRATE

Tip: The removable rear pouch can be used as a shooting rest when packed appropriately.





7. Limited Lifetime Warranty

Paladin Custom extends a lifetime warranty on our products against manufacturing and materials defects for the service lifetime of the product. This warranty applies when the product is used for the purpose intended and not against everyday wear and tear, modifications and alterations, or improper use and care. Items cannot be returned more than 30 days after the date of purchase. We cannot accept returns on custom manufactured items due to the inability to resell these items. The determination of whether or not a product will be repaired or replaced under this warranty will be on a case-by-case basis, and at the sole discretion of Paladin Custom.

A product's "lifetime" specifically refers to the service life of the product, or at such a time that, through normal use, the product can no longer function for the specific purpose intended. The determination of whether a product's expected lifetime has been exceeded will be made by Paladin Custom.

Any rips, tears, or holes that are caused by materials or manufacturing defect is covered under the "Limited Lifetime Warranty". Examples include stitching pulling out or through, weak spots in fabric or hardware failure within tolerances. However, if the rips, tears or holes are due to an accident, improper care, negligence or natural breakdown of materials over extended lengths of time and use, Paladin Custom will not repair or replace free of charge. This determination will be on a case-by-case basis, and at the sole discretion of Paladin Custom. Repairs or replacements not covered under the warranty will be considered on an individual basis, and services provided will be at the expense of the customer at a reasonable charge determined at the time the product is evaluated. Products falling into this category will not begin the repair or replacement process until approved by the customer/owner.